Datasheet and description

avide Þ

Avide Exit Light IP20

Product code:	AEXITL-IP20
Brand link:	avidelighting.com/qr/AEXITL-IP20
ID:	AB-190518
Company name:	Bramcke Hungary Kft.
Company address:	Kishatár utca 17., 4031 Debrecen



Page: 1/3

SPECIFICATIONS

EAN code:	5999097911229
Warranty:	3year(s)
Color:	White
Material:	ABS+Acryl
Working temperature:	-10 - +45 °C
Packaging:	1/b 10/c 280/p
Certifications:	CE
Accessories:	Self-adhesive stickers

TECHNICAL DETAILS

Wattage:	1W
Voltage:	220-240V
Beam angle:	360°
Dimmability:	No
Lumen output:	20lm
Color temperature:	6 000K
Lifetime:	50 000h
Energy class:	
Type of LED:	DIP
Number of LEDs:	5pcs
Battery type:	Ni-Cd 3-6V, 500mAh
Emergency light:	180min
Recharge time:	24h
IP standard:	IP20

BOX PICTURE



Datasheet and description

avide Þ

Avide Exit Light IP20

Product code:	AEXITL-IP20
Brand link:	avidelighting.com/qr/AEXITL-IP20
ID:	AB-190518
Company name:	Bramcke Hungary Kft.
Company address:	Kishatár utca 17., 4031 Debrecen



Page: 2/3


PRODUCT SIZE

Width:	370mm
Height:	225mm
Depth:	46mm

PRODUCT PICTURE



PRODUCT OUTLINE



CARDBOARD BOX

EAN:	5999097911229
Packaging:	1/b 10/c 280/p
Dimensions:	375mm x 55mm x 235mm
Net weight:	416g
Gross weight:	485g

CARTON

EAN:	5999097911236
Packaging:	1/b 10/c 280/p
Dimensions:	570mm x 395mm x 250mm
Net weight:	4.16kg
Gross weight:	4.85kg

PALLET EXAMPLE

Height:	
Width:	120cm (std Euro pallet)
Mepth:	80cm (std Euro pallet)
Cartons per pallet:	28carton/pallet
Cartons per row:	
Net weight:	116.48kg
Gross weight:	135.8kg

Datasheet and description



Avide Exit Light IP20

Product code:	AEXITL-IP20
Brand link:	avidelighting.com/qr/AEXITL-IP20
ID:	AB-190518
Company name:	Bramcke Hungary Kft.
Company address:	Kishatár utca 17., 4031 Debrecen



Page: 3/3

PRODUCT DESCRIPTION

The Avide LED exit light is an edge-lit product with adhesive pictograms and 1 W output providing constant light. Back-up time in the case of a power failure is 180 minutes.

It can be mounted in four different ways (the sign can be mounted on the wall and ceiling alike and can also be rotated 90 °).

- suspended from a chain (80 cm)

- mounted on the ceiling

- mounted on a vertical wall in two different ways. Note that the product may also be mounted laterally with the set provided!

<u>Contents of the box</u>: light fixture, clear acrylic sheet, lateral mounting kit, 80 cm suspension chain, two types (horizontal, 45 °) of direction indicating arrows, pictograms with figure running to the right and left, complete instructions for use and installation in English and Hungarian.